

Date: Thursday, 22/05/2008 1:41:18 PM
 User: Julie Lecocq

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: FUEL PURGE CANISTER
Job Number	: 39406B		
Estimate Number	: 10442		
P.O. Number	:	Part Number	: D32623
This Issue	: 22/05/2008	S.O. No.	:
Prsht Rev.	: NC	Drawing Number	: D3262 REV C
First Issue	: //	Project Number	: N/A
Previous Run	: 38446B	Drawing Revision	: C
	Type : LARGE FAB ASSY	Material	:
Written By	:	Due Date	: 10/06/2008
Checked & Approved By	: <u>JUL 08.5.22</u>	Qty:	8 Um: Each
Comment	: Est. C 05.03.10 Removed P/O for liquid penetrant inspection K J/JLM		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	M6061T6B0500X06000	6061-T6 Bar .50" x 6.0"
-----	--------------------	-------------------------



Comment: Qty.: 0.9668 f(s)/Unit Total : 7.7347 f(s)
 Material: 6061-T6/T651 (QQ-A-200/8 or 225/8) 0.500" thick
 (M6061T6B0.500x06.000)
 Identify for D3262-3
 Batch: M107244

ml 08/06/21

8

2.0	BAND SAW	BAND SAW
-----	----------	----------



Comment: BAND SAW
 Cut blanks: 6.000" x 0.500" x 5.400" long Bar
 Machine as per Folio FA457 and Dwg D3262
 Identify for D3262-3
 Deburr

ml 08/06/21

8

3.0	HAAS1	HAAS CNC VERTICAL MACHINING #1
-----	-------	--------------------------------



Comment: HAAS CNC VERTICAL MACHINING #1

Machine as per dwg D3262

ml 08/06/22

8

4.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

ml 08/06/22

8

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 22/05/2008 1:41:18 PM
User: Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FUEL PURGE CANISTER

Job Number: 39406B

Part Number: D32623

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

QC8

SECOND CHECK



Comment: SECOND CHECK

08/06/23 (X8)

6.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: *Q4*

16/23

SP (8X)

7.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

08/06/23 *[Signature]*

Job Completion



MF 08-06-23

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 39406B
Description: Cap		Part Number: D3262-3
Inspection Dwg: D3262	Rev: C	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.070 x 45°	+/-0.010	.070 x 45°	✓			
0.45	+/-0.030	.442	✓			
R0.063	+/-0.010	R.063	✓			
0.080	+/-0.010	.077	✓			
0.33	+/-0.030	.328	✓			
Ø5.005	+0.010/-0.000	5.007	✓			
0.688	+0.015/-0.000	.690	✓			
3.25	+/-0.005	3.250	✓			
0.875	+/-0.010	.873	✓			
Ø0.516	+0.005/-0.000	.518	✓			
Ø5.165	+/-0.010	5.166	✓			
0.083	+0.015/-0.000	.086	✓			
Ø0.580	+0.005/-0.000	Ø.580	✓			


Measured by: gml	Audited by: DTP	Prototype Approval:	N/A
Date: 08/06/22	Date: 08/06/22	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	04.09.03	New Issue P/O D3262-041	KJ/JLM	
B	05.04.28	Dimensions and tolerances revised	KJ/JLM	
C	06.09.27	Dimensions revised per rev. C	KJ/JLM	
D	07.09.06	0.080 was 0.090	KJ/JLM	AF

DART

DESIGN <i>H</i>	DRAWN BY <i>B</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>H</i>	DRAWING NO. D3262	REV. C SHEET 1 OF 2
DATE 06.08.31		TITLE FUEL PURGE CANISTER	SCALE 1:4
REV	DATE	DESCRIPTION	
A	04.05.06	FIRST ISSUE	
B	05.02.14	ADD PRESSURE TESTING OPTION	
C	06.08.31	Ø 5.165 WAS Ø 5.190	


RELEASED

06.09.19 *H***D3262-041 CANISTER ASSEMBLY**

ITEM	QTY -041	P/N	DESCRIPTION
	X	D3362-041	CANISTER ASSEMBLY
1	1	D3262-1	TUBE
2	2	D3262-3	CAP

NOTES:

- 1) WELD PER DART QSI 004
- 2) BREAK ALL SHARP CORNERS 0.005 TO 0.010
- 3) LIQUID PENETRANT INSPECT PER ASTM E1417 LEVEL 1 OR PRESSURIZE TO 10 psi AND SUBMERGE UNDER WATER TO CHECK FOR LEAKS **B**
- 4) FINISH: CHEMICAL CONVERSION COAT PER QSI 005 4.1 POWDER COAT ASSEMBLY WHITE (4.3.5.1) PER DART QSI 005 4.3
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 7) IDENTIFY WITH DART P/N AND B/N USING FINE POINT PERMANENT INK MARKER





STOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. *394003*

COPYRIGHT © 2004 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




DESIGN <i>PH</i>	DRAWN BY <i>B</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>PH</i>	DRAWING NO. D3262	REV. C SHEET 2 OF 2
DATE 06.08.31		TITLE FUEL PURGE CANISTER	SCALE 1:4




RELEASED
06.09.19

D3262-1 TUBE

- 1) MATERIAL: 6061-T6 OR 6061-T62 TUBING, 5.00 OD x 0.125 WALL
PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR
QQ-A-200/8 OR QQ-A-225/8
(REF. DART SPEC. M6061T6T5.000W.125)



SECTION A-A
SCALE 1:2




D3262-3 CAP

- 1) MATERIAL: 6061-T6/T651 (QQ-A-200/8 OR QQ-A-225/8) BAR
(REF. DART SPEC. M6061T6B)

NOTES:

- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP CORNERS 0.005 TO 0.010
- 6) PART IS SYMMETRICAL ABOUT CENTERLINE
- 7) ENGRAVE 'DART' LOGO AS SHOWN USING 0.75 HIGH x 0.010 DEEP (MAX) LETTERS WITH TOOL RADIUS OF 0.25 (MIN)



DETAIL B
SCALE 2:1

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED CO
SUBJECT TO AMENDME
WITHOUT NOTICE
WORK ORDER
NO. 3400B

COPYRIGHT © 2004 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.